

OS-GIKEN: SUPER LOCK LSD

NISSAN						
Model	Model No.	Engine	M/T	Year	Notes	Spec-S
Skyline	HCR32	RB20DET	Y	89/5 thru '93/7	1	D-NA202061405-S
	ECR33	RB25DET	Y	93/8 thru '98/5	Not for ABS & Active LSD	D-NA202061405-S
	ER34	RB25DET	Y	98/5 on	1; Not for Active LSD	D-NA402061405-S
	BNR32	RB26DETT	Y	89/8 to '93/1	For Rear, 2	D-NA302061405-S
		RB26DETT	Y	93/1 to '94/12		D-NA302061405-S
	BCNR33	RB23DETT	Y	95/1 to '98/12	Not for rear active LSD	D-NA302061405-S
	BNR34	RB26DETT	Y	99/1 on	Not for rear active LSD	D-NA302061405-S
180SX	RPS13	SR20DET	Y	91/1 to '96/11	1	D-NA202061405-S
			Y	96/12 to '98/12	1	D-NA202061405-S
Silvia	PS13	SR20DET	Y	91/1 to '93/10	1	D-NA102061405-S
	S14	SR20DET	Y	93/11 to '96/11	1	D-NA202061405-S
		SR20DET	Y	96/12 to '98/12	1	D-NA202061405-S
	S15	SR20DET	Y	99/1 on		D-NA202061405-S
Fairlady	Z33	VQ35DE	Y	02/8 on	1	D-NA102061405-S
Cedric	Y34	VQ35DET				D-NA402051605-S

TOYOTA						
Model	Model No.	Engine	M/T	Year	Notes	Spec-S
Mark II & Chaser	JZX90	1JZGTE	Y	92/10 TO '96/8	3	D-TC102061405-S
		1JZGTE		92/10 TO '96/8	3	D-TC102061405-S
	JZX100	1JZGTE	Y	96/9 on	3	D-TC102061405-S
		1JZGTE		96/9 on	3	D-TC102061405-S
	JZX110	1JZGTE	Y	00/10 on	3	D-TC102061405-S
Supra	JZA70	1JZGTE	Y	90/8 to '93/5	3	D-TC102061405-S
	JZA80	2JZGE		93/5 to '96/5	except '93/5 to '96/5 6spd; 4	D-TD102061405-S
	JZA80	2JZGTE		93/5 to '96/6	except '93/5 to '96/5 6spd; 4	D-TD102061405-S
Soarer	JZZ30, 31	1JZGTE		91/6 to '96/8	4	D-TD102061405-S
		2JZGE		91/6 to '96/8	4	D-TD102061405-S
	UZZ30	1UZFE		91/6 to '96/8	4	D-TD102061405-S
Aristo	UZS143	1UZFE		91/10 to	4	D-TD102051605-S
	JZS147	2JZGE		92/10 to	4	D-TD102051605-S
	JZS147	2JZGTE		92/10 to	4	D-TD102051605-S
	JZS160, 161	2JZGE		97/8 to	4	D-TD102051605-S
	JZS160, 161	2JZGTE		97/8 to	4	D-TD102051605-S
Celica	ZZT231	2ZZ-GE	Y	2000-2006		
Levin, Trueno	AE86 (1st style)	4AG	Y	83/5 to '85/9		D-TA202081604-S
	AE86 (2nd style)	4AG	Y	85/10 to '87/4		D-TA102081604-S
Altezza	SXE10	3SG	Y	98/10 on		D-TB102081404-S

MAZDA						
Model	Model No.	Engine	M/T	Year	Notes	Spec-S
RX-7	FC3S	13B	Y	85/9 to '91/10	5	D-MA102061405-S
	FD3S	13B	Y	91/11 to		D-MA102061405-S
RX-8	SE3P	13B-MSP	Y			D-MA102061405-S
Unos 1800	NA8	BP	Y		13	D-MA202061404-S

HONDA						
Model	Model No.	Engine	M/T	Year	Notes	Spec-S
Civic	EK9	B16B	Y	97/8 to '00/9	optional final gear; 6	D-HB101091401-S
Integra	DC2	B18C	Y	93/5 thru '01/0	Type R, 7	D-HB101091401-S
	DC5	K20A	Y		8	D-HC101091401-S

S2000	AP1	F20C	Y	99/4 on		D-HA102081604-S
NSX	NA1	C30A	Y		9	D-HD102062004-SF
					10	D-HD102062004-SF4, 4-5
	NA2	C32A	Y		9	D-HD102062004-SF
					10	D-HD102062004-SF4, 4-6

MINI

Model	Model No.	Engine	M/T	Year	Notes	Spec-S
Lancer Evolution		CP9A	Y	98/1 to '00/12	front LSD kit, 14	D-MIA101081402-S
Lancer Evolution		CP9A	Y	98/1 to '00/12	rear LSD(for RS w/o AYC)	D-MIB101081404-S
Lancer Evolution		CP9A	Y	98/1 to '00/1	rear LSD(for GSR w/AYC), 15	D-MIC102081404-S

BMW

Model	Grade	Engine	M/T	Year	Notes	Spec-S
E30	M3	S14	Y	1984 -	Replaces Mechanical OE Unit	BMW-M1
E36	318is	M42/M44	AT/MT			BMW-S1
	318i	M40/M42/M44				BMW-S1
	320i	M50/M52				BMW-S1
	323i	M50				BMW-M1
	325i	M50/M52				BMW-M1
	328i	M52	AT	1991 -	Replaces Open OE Unit	BMW-M1
	M3 B	S50	MT			BMW-M3
	M3 C	S52	MT/SMG	1998 -	Replaces Mechanical OE Unit	BMW-L1
E46	316t	N42	AT		Replaces Open OE Unit	BMW-S2
	318ti	N42	AT/MT		Replaces Open OE Unit	BMW-S2
	318i/318ci	M43/N42	AT/MT	1998 -	Replaces Open OE Unit	BMW-S2
	320i	M52/M54	AT	1998 -	Replaces Open OE Unit	BMW-S2
	323i	M52	AT	1998 -	Replaces Open OE Unit	BMW-M2
	325i	M52/M54	AT	1998 -	Replaces Open OE Unit	BMW-M2
	328i	M52	AT	1998 -	Replaces Open OE Unit	BMW-M2
	330i/330ci	M54	AT	2003 -	Replaces Open OE Unit	BMW-M2
	M3	S54	MT/SMG	2001 -		BMW-L1
	M3 CL	S54TU	SMG	2003 -		NBMW-L1
E90	320i	N46B20B	AT/MT	2005 -	Replaces Open OE Unit	BMW-S2
	325i	N52B25A	AT	2005 -	Replaces Open OE Unit	BMW-M2
	330i	N52B30A	AT	2005 -	Replaces Open OE Unit	BMW-M2
E34	525i	M50	AT	1990 -	Replaces Open OE Unit	BMW-M1
	530i	M30	AT	1990 -	Replaces Open OE Unit	BMW-M1
	530i	M60	AT	1990 -	Replaces Open OE Unit	BMW-M1
	M5	3.6 & 3.8	MT	1990 -		BMW-L1
E39	525i	M52/M54	AT	1996 -	Replaces Open OE Unit	BMW-M2
	528i	M52	AT	1996 -	Replaces Open OE Unit	BMW-M2
	530i	M54	AT	1996 -	Replaces Open OE Unit	BMW-M2
	M5	S62	MT	1999 -		BMW-L1
E60/61	525i/530i	M54	AT	2003 -	Replaces Open OE Unit	BMW-M2
	525i/530i	M52	AT	2003 -	Replaces Open OE Unit	BMW-M2
	M5/M6	S85B50A	SMG	2005 -	Replaces BMDL Unit	NBMW-L1
E63	630i	N52B30A	AT	2003 -	Replaces Open OE Unit	BMW-M2
E38	735i		AT	1994 -	Replaces Open OE Unit	BMW-M2
	745i		AT		Replaces Open OE Unit	BMW-L1
	750i		AT		Replaces Open OE Unit	BMW-L1
E40	1.8i/1.9i	M42/44	AT/MT	1996 -		BMW-S1
	2.2i	M52	AT/MT	1999 -	Replaces Mechanical OE Unit	BMW-M1
	2.8i	M52	AT	1998 -	Replaces Mechanical OE Unit	BMW-M1
	3.0i	M54	AT		Replaces Mechanical OE Unit	BMW-M1
	M Roadster	S50/S52	MT	1998 -	Replaces Mechanical OE Unit	BMW-M3
	M Coupe	S50/S52	MT	1998 -	Replaces Mechanical OE Unit	BMW-M3

E85	2.2i	M54	AT	2003 -	Replaces Open OE Unit	BMW-S2
	2.5i	N52B25A	AT	2006 -	Replaces Open OE Unit	BMW-S2
	3.0i	M54	AT/SMG	2003 -	Replaces Open OE Unit	BMW-M2
	M Roadster/Coupe	326S4(S54)	MT	2006 -	Replaces BMDL Unit	BMW-L1
						NBMW-L1

PORSCHE

Model	Model No.	Engine Dis.	M/T	Year	Notes	Spec-S
911, 930	Carrera	2.7	MT	1972 - 1977		
	Carrera 3.0	3	MT	1972 - 1977		
	911 SC/SCS	3	MT	1978 - 1983		
	911 Carrera	3.2	MT	1984 - 1986		
	Turbo	3.0 TURBO	MT	1975 - 1977		
	930 Turbo	3.3 TURBO	MT	1978 - 1982		
	911 Turbo	3.3 TURBO	MT	1983 - 1988		
	911 Carrera/CS	3.2	MT	1987 - 1989		
	911 Turbo	3.3 TURBO	MT	1989		
	Speed Star	3.2	MT	1989		
964	911 Carrera2	3.6	MT	1990 - 1993		
	911 Carrera RS	3.6	MT	1991 - 1992		
	911 Carrera RS	3.8	MT	1993		
	911 Turbo 3.3	3.3 Turbo	MT	1991 - 1992		
	911 Turbo 3.6	3.6 Turbo	MT	1993 - 1994		
993	911 Carrera	3.6	MT	1994 - 1997		
	911 Carrera RS	3.7	MT	1995 - 1996		
	911 Carrera S	3.6	MT	1997 - 1998		
996	GT2	3.6	MT	2001 -		
	GT3	3.6	MT	2000 -		

NOTES: Vehicles equipped with an oil pump may require machining to ensure correct fit.
Reattachment of the speedometer sensor may vary on some vehicles.

CORVETTE

Model	Model No.	Engine	M/T	Year	Notes	Spec-S
C4	5.7, ZR-1	B5, 5D	MT	1986 - 1997		
C5	5.7, Z51	5E	MT/AT	1997 - 2005		
C6	Coupe, Z06	5G, 6E	MT/AT	2005 -		

NOTES: Replacement input shafts: \$175.00 per shaft.
Installation for C4 models will require additional machine work to the side flange to ensure correct fit.

DODGE

Model	Model No.	Engine	M/T	Year	Notes	Spec-S
VIPER	GTS Coupe	8M	MT			

NOTES: Installation for Viper models will require additional machine work to the side flange to ensure correct fit

OS Giken Note Key:

- 1 - Refer to Side Flange Adaptation List #1
- 2 - Exchange with Genuine Nissan side flange pn: 38220-12U00 x1 and pn: 38220-12U01 x1
- 3 - Refer to Side Flange Adaptation List #2
- 4 - Refer to Side Flange Adaptation List #3
- 5 - For Viscous LSD equipped vehicles, exchange with Genuine Mazda side flange pn: P019-27-270B x2 and snap ring pn: P016-27-421 x2. Open differential vehicles need no additional modification
- 6 - Transmission case must be machined to provide clearance. Remove speedometer gear and replace with OS Giken speedometer gear
- 7 - Remove speedometer gear and replace with OS Giken speedometer gear
- 8 - Remove and replace speedometer gear
- 9 - Includes ring gear for normal final gear
- 10 - Includes 4.4 Final Gear Set
- 11 - Not for use for diesel turbo models. Upon order, please specify whether vehicle is ABS equipped or not
- 12 - Upon order, please specify whether vehicle's side bearing's diameter is 50mm or 45.3mm
- 13 - Not for use with turbo equipped vehicles or 1600cc models
- 14 - Upon order, please send in transfer case for OS Giken qualified technical center for machining. Please consult Toyota Tsusho America for further details. (does not apply to Lancer Evolution IV)
- 15 - Upon order, please send in AYC case assembly to an OS Giken qualified technical center for machining. Please consult Toyota Tsusho America for further details. (does not apply to Lancer Evo IV)
- 16 - Cannot be used with 330i vehicles with 2.93 final gears
- 17 - Vehicles produced until 09/89 to use BMW-L1, others use BMW-M1
- 18 - Installation of the BMW-M2 requires machining to the differential case
- 19 - Six bolt gear cover
- 20 - Eight bolt gear cover
- 21 - Kit consists of bearings (2pcs.), shaft seal (2pcs.), gasket (1pc.)
- 22 - Vehicles produced until 12/03 to use the Zenki Kit, vehicles produced from 12/03 to use the Kouki Kit
- 23 - Not available for SMG equipped vehicles
- 24 - This LSD is a TC type differential